



TEXTILO
TEXTIL



Evicce



App Store

Google play

Descarga nuestra APP gratuita y descubre nuestra colección.
Download our free APP and discover our collection.







EVICE 15



EVICE 14



EVICE 13




EVICE 12




Evice







EVICE 11



EVICE 10




EVICE 09



EVICE 08



EVICE 07



EVICE 06



EVICE 05



EVICE 04



EVICE 03



EVICE 02



EVICE 01



ESTILO TEXTIL

Polígono Industrial "La Vega"
Parcela 28
14640 Villa del Río (Córdoba)
T 957 176 772 / 957 177 970
F 957 177 510
pedidos@stilotextil.com
www.stilotextil.com

EVICE

CARACTERÍSTICAS TÉCNICAS/ TECHNICAL CHARACTERISTICS

LONGITUD DE LA PIEZA / ROLL LENGTH	40-60 m
ANCHO / WIDTH	145cm
ANCHO ÚTIL / USABLE WIDTH	145cm
PESO (m ²) / WEIGHT (m ²)	420g
ESPESOR / THICKNESS	2.07 mm
COMPOSICIÓN - SUPERFICIE / COMPOSITION SURFACE	100% polyester
COMPOSICIÓN - BACKING / COMPOSITION BACKING	Needle Punch Coating
ABRASIÓN (MARTIN DALE) / ABRASION (MARTIN DALE)	over 30.000 rubs (until fabric broken)
PILING / PILLING	3-4 grade(7000circles)
SOLIDEZ AL FROTAMIENTO EN SECO / RUBBING FASTNESS DRY	4-5 (total 5 grades)
SOLIDEZ AL FROTAMIENTO EN HÚMEDO / RUBBING FASTNESS WET	4-5 (total 5 grades)
RESISTENCIA AL DESGARRO URDIMBRE / TEAR STRENGTH WARP	cross tear
RESISTENCIA AL DESGARRO TRAMA / TEAR STRENGTH WEFT	38
SOLIDEZ A LA LUZ / FASTNESS TO LIGHT	4 (total 5 grades)
DESLEAMIENTO COSTURA - URDIMBRE / SEAM SLIPPAGE - WARP	> 200
DESLEAMIENTO COSTURA - TRAMA / SEAM SLIPPAGE - WEFT	> 200
COLORANTES AZO / AZO DYE STUFF	NO

INSTRUCCIONES DE LAVADO RECOMENDADAS / CARE INSTRUCTIONS RECOMMENDATION

